

BMP FERTILIZER®

17-0-17



GUARANTEED ANALYSIS	
Total Nitrogen (N).....	17%
5.4% Water Insoluble Nitrogen*	
2.2% Urea Nitrogen	
9.4% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O).....	17%
Sulfur (S).....	5.8%
5.8% Combined Sulfur (S)	
Iron (Fe).....	0.5%
0.005% Water Soluble Iron (Fe)	
Derived from: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate.	
Chlorine (Cl) not more than.....	2.0%
*14.8% Slowly Available Nitrogen from Methylene Ureas.	



FOR FLORIDA: We recommend that you follow the Golf Course BMP's at:
<http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gfcbmp07.pdf>

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

**KEEP OUT OF REACH OF CHILDREN.
CAUTION**

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 5.3 lbs. per 1,000 sq. ft. or 230 lbs. per acre.
 To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.9 lbs. per 1,000 sq. ft. or 128 lbs. per acre.

SUGGESTED SPREADER SETTINGS					01/30/12
Spreader	5.3#/1,000 sq. ft.	2.9#/1,000 sq. ft.	Spreader	5.3#/1,000 sq. ft.	2.9#/1,000 sq. ft.
LebanonTurf	4½	3½	Lesco (letter/Numeric)	I/17	H/15
Andersons AccuPro	K	H	PennMulch HVG	L	J
Earthway Rotary	16	14	ProScape SS	L	J
Gandy	28	24	Spyker	4½	3½
Lely	6 II	4 II	Vicon (all models)	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

PennMulch® and ProScape® are registered trademarks of Lebanon Seaboard Corporation.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

**KEEP OUT OF REACH OF CHILDREN.
CAUTION**



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation
 1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-lebsea.com>

NET WT. 50 LBS. (22.7 Kg)

17-0-17



GUARANTEED ANALYSIS

Total Nitrogen (N).....	17%
5.4% Water Insoluble Nitrogen*	
2.2% Urea Nitrogen	
9.4% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)	17%
Sulfur (S).....	5.8%
5.8% Combined Sulfur (S)	
Iron (Fe).....	0.5%
0.005% Water Soluble Iron (Fe)	
Derived from: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate.	
Chlorine (Cl) not more than.....	2.0%
*14.8% Slowly Available Nitrogen from Methylene Ureas.	



22-52043

**FOR FLORIDA: We recommend that you follow the Golf Course BMP's at:
<http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf>**

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

KEEP OUT OF REACH OF CHILDREN. CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 5.3 lbs. per 1,000 sq. ft. or 230 lbs. per acre.
To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.9 lbs. per 1,000 sq. ft. or 128 lbs. per acre.

SUGGESTED SPREADER SETTINGS						01/30/12			
Spreader	5.3#/1,000 sq. ft.		2.9#/1,000 sq. ft.		Spreader	5.3#/1,000 sq. ft.		2.9#/1,000 sq. ft.	
LebanonTurf	4½		3½		Lesco (letter/Numeric)	I/17		H/15	
Andersons AccuPro	K		H		PennMulch HVO	L		J	
Earthway Rotary	16		14		ProScape SS	L		J	
Gandy	28		24		Spyker	4½		3½	
Lely	6 II		4 II		Vicon (all models)	24		22	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

PennMulch® and ProScape® are registered trademarks of Lebanon Seaboard Corporation.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

KEEP OUT OF REACH OF CHILDREN. CAUTION



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-lebsea.com>

NET WT. 50 LBS. (22.7 Kg)