



Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Iron Sucrate.

22-52039

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water. FOR FLORIDA: We recommend that you follow the Golf Course BMP's at:

http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Application Rates

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.7 lbs per 1,000 sq. ft. or 205 lbs. per acre.

TO TEEU AL LINE TALE OF 0.5	ID. MILIOYEII (M) PET 1,000	sq. it., apply this pro	uuct at 2.0 ibs pei	1,000 34. 11. 01 114.3	ins. hei acie.
	01/30/12				
Spreader	0.9#N/1,000 sq. ft.	0.5N#/1,000 sq. ft.	Spreader	0.9N#/1,000 sq. ft.	0.5N#/1,000 sq. ft.
LebanonTurf	41/2	3	Lesco (letter/Nun	neric) [/17	F/13
Andersons AccuPro	K	G	PennMulch HVO	K	G
Earthway Rotary	15	13	ProScape SS	K	G
Gandy	26	23	Spyker	4½	3
Lely	5 II	3½ Ⅱ	Vicon (all models	3) 24	21
These settings were ca	librated and field tested	. However, age and c	ondition of spreade	er, speed of operatio	n and evenness of
terrain may require slice	htly different settings fo	or desired coverage.			

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

KEEP OUT OF REACH OF CHILDREN. **CAUTION**



For technical assistance or more information about our products visit www.LebanonTurf.com Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A. www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-lebsea.com

FERTILIZER 19-0-19 MESA

GUARANTEED ANALYSIS

Total Nitrogen (N)	19%	
3.4% Ammoniacal Nitrogen		
5.0% Water Insoluble Nitrogen*		
2.4% Urea Nitrogen 8.2% Other Water Soluble Nitrogen*		
Colubia Dotach (Kan)	19%	
Soluble Potash (K ₂ 0)	10.2%	
10.2% Combined Sulfur (S)		0
Iron (Fe)	3.0%	U
0.03% Water Soluble Iron (Fe)		F69



F699

22-52039

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Iron Sucrate.

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing.

Do not wash off with water.

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at: http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Application Rates

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 4.7 lbs per 1,000 sq. ft. or 205 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.6 lbs per 1,000 sq. ft. or 114.5 lbs. per acre.

SUGGESTED SPREADER SETTINGS 01/30/12								
Spreader	0.9#N/1,000 sq. ft.	0.5N#/1,000 sq. ft.	Spreader	0.9N#/1,000 sq. ft.	0.5N#/1,000 sq. ft.			
LebanonTurf	41/2	3	Lesco (letter/Num	eric) 1/17	F/13			
Andersons AccuPro	K	G	PennMulch HVO	, K	G			
Earthway Rotary	15	13	ProScape SS	K	G			
Gandy	26	23	Spyker [*]	41/2	3			
Lely	5 II	31⁄2 Ⅱ	Vicon (all models)	24	21			
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of								
terrain may require slig	htly different settings for	r desired coverage.						

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

KEEP OUT OF REACH OF CHILDREN. CAUTION



For technical assistance or more information about our products visit www.LebanonTurf.com Manufactured by:

Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-lebsea.com

NET WT. 50 LBS. (22.7 Kg)