





GUARANTEED ANALYSIS	
Total Nitrogen (N)	23%
4.8% Water Insoluble Nitrogen*	
9.7% Urea Nitrogen	
8.5% Other Water Soluble Nitrogen*	
Soluble Potash (K2O)	22%
Sulfur (S)	7%
7.0% Combined Sulfur (S)	
Iron (Fe)	0.9%
0.10% Water Soluble Iron (Fe)	
Manganese (Mn)	0.7%
0.10% Water Soluble Manganese (Mn)	
Derived from: Methylene Ureas, Urea, Sulfate of Potash, Iron Sucrate, Manganese Sucra	ite.
Chlorine (CI) not more than	2.0%
*13.3% Slowly Available Nitrogen from Methylene Ureas.	



22-52041

041509

F699

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

APPLICATION RATES:

To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft. apply this product at 4.3 lbs. per 1,000 sq. ft. or 189 lbs. per acre. To feed at the rate of 1/2 lb. Nitrogen per 1,000 sq. ft. apply this product at 2.2 lbs. per 1,000 sq. ft. or 94 lbs. per acre.

PRECAUTIONARY STATEMENT:

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

KEEP OUT OF REACH OF CHILDREN CAUTION

				10 11			
SUGGESTED SPREADER SETTINGS							
	Speed		Speed Width		Width	Settings	
	Ground MPH	PTO RPM	of Coverage	4.3 lbs. (1# N)	2.2 lbs. (1/2# N)		
LebanonTurf / Spyker Cyclone Earthway Rotary Ezee Flow (109) Gandy Lely (HR, 1250, 1500, 2010) Lely (W) Lesco (Letter/Numeric)	3 3 3 5 5 3 5 5 3 3 3 3	540 425	8 ft. 8 ft. 8 ft. 30 ft. 39 ft. 39 ft. 8 ft.	3 3½ 13 C1 23 3½II 3½II G/16	1 2 10 A2 20 211 211 D/14		
Ortho Rotary PennMulch® HVO Prizelawn BF & CBRIII Prizelawn CBRII Prizelawn LF-1 Republic Rotary ProScape® SS Scotts AccuPro Scotts (Rotary) R7x/R8A Vicon (all models)	3 3 3 3 3 3 3 5	540	6 ft. 8 ft. 8 ft. 8 ft. 8 ft. 6 ft. 8 ft. 8 ft. 35 ft.	2½ I I 3 2 2½ I G E/J 20	1 F F 1½ 1 1 F E C/G 15		

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit www.LebanonTurf.com/turf

FOR FLORIDA: We recommend that you follow the Golf

Course BMP's at: http://www.dep.state.fl.us/water/

nonpoint/docs/nonpoint/glfbmp07.pdf Information regarding the contents and levels of metals

in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 www.LebanonTurf.com



Greens Grade Fertilizer





Total Nitrogen (N)	23%
4.8% Water Insoluble Nitrogen*	
9.7% Urea Nitrogen	
8.5% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)	22%
Sulfur (S)	7%
7.0% Combined Sulfur (S)	
Iron (Fe)	0.9%
0.10% Water Soluble Iron (Fe)	
Manganese (Mn)	0.7%
0.10% Water Soluble Manganese (Mn)	
Derived from: Methylene Ureas, Urea, Sulfate of Potash, Iron Sucrate, Manganese Sucrate,	ate.
Chlorine (CI) not more than	2.0%
*13.3% Slowly Available Nitrogen from Methylene Ureas.	



22-52041

F699

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

APPLICATION RATES:

To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft. apply this product at 4.3 lbs. per 1,000 sq. ft. or 189 lbs. per acre. To feed at the rate of 1/2 lb. Nitrogen per 1,000 sq. ft. apply this product at 2.2 lbs. per 1,000 sq. ft. or 94 lbs. per acre.

PRECAUTIONARY STATEMENT:

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

KEEP OUT OF REACH OF CHILDREN CAUTION

SUGGESTED SPREADER SETTINGS						
	Speed		Width	Settings		
	Ground MPH	PTO RPM	of Coverage	4.3 lbs. (1# N)	2.2 lbs. (1/2# N)	
LebanonTurf / Spyker	3		8 ft.	3	1	
Cyclone	3		8 ft.	3½	2	
Earthway Rotary	3 5		8 ft.	13	10	
Ezee Flow (109)	5	540	30 ft.	C1	A2	
Gandy	3			23	20	
Lely (HR, 1250, 1500, 2010)	5		39 ft.	3½II	2II	
Lely (W)	5	425	39 ft.	3½II	2II	
Lesco (Letter/Numeric)	3		8 ft.	G/16	D/14	
Ortho Rotary	3		6 ft.	2½	1	
PennMulch® HVO	3		8 ft.	I	F	
Prizelawn BF & CBRIII	3 3		8 ft.	I	F	
Prizelawn CBRII	3		8 ft.	3	1½	
Prizelawn LF-1	3		8 ft.	2	1	
Republic Rotary	3		6 ft.	21/2	1	
ProScape® SS	3 3		8 ft		F	
Scotts AccuPro			8 ft.	G	Е	
Scotts (Rotary) R7x/R8A	3		8 ft.	E/J	C/G	
Vicon (all models)	5	540	35 ft.	20	15	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit www.LebanonTurf.com/turf

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at:

http://www.dep.state.fl.us/water/ nonpoint/docs/nonpoint/glfbmp07 pdf

Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

LEBANON SEABOARD CORPORATION 1600 EAST CUMBERLAND STREET LEBANON, PA 17042 www.LebanonTurf.com



Lebanon LebanenTurf