

FERTILIZER

METH-EX 40

and expo

25-0-15

Mid Size Fertilizer



GUARANTEED ANALYSIS

| | |
|---|-------------|
| Total Nitrogen (N) | 25% |
| 3.9% Water Insoluble Nitrogen* | |
| 14.8% Urea Nitrogen | |
| 6.3% Other Water Soluble Nitrogen* | |
| Soluble Potash (K₂O) | 15% |
| Sulfur (S) | 5.1% |
| 5.1% Combined Sulfur (S) | |
| Iron (Fe) | 2.0% |
| 0.4% Water Soluble Iron (Fe) | |
| Derived from: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate. | |
| Chlorine (Cl) not more than..... | 2.0% |
| *10.2% Slowly Available Nitrogen from Methylene Ureas. | |



0 88685 52045 7

22-52045

F699

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

APPLICATION RATES:
To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft. apply this product at 4 lbs. per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 1/2 lb. Nitrogen per 1,000 sq. ft. apply this product at 2 lbs. per 1,000 sq. ft. or 87 lbs. per acre.

PRECAUTIONARY STATEMENT:
Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

KEEP OUT OF REACH OF CHILDREN CAUTION

| | SUGGESTED SPREADER SETTINGS | | | | |
|-----------------------------|-----------------------------|---------|-------------------|-----------------|-------------------|
| | Speed | | Width of Coverage | Settings | |
| | Ground MPH | PTO RPM | | 4.0 lbs. (1# N) | 2.0 lbs. (1/2# N) |
| LebanonTurf / Spyker | 3 | | 8 ft. | 3 | 2 |
| Cyclone | 3 | | 8 ft. | 3 1/2 | 3 |
| Earthway Rotary | 3 | | 8 ft. | 12 | 10 |
| Ezee Flow (109) | 5 | 540 | 30 ft. | C2 1/2 | C2 |
| Gandy | 3 | | | 27 | 23 |
| Lely (HR, 1250, 1500, 2010) | 5 | | 39 ft. | 5 1/2 II | 4 1/2 II |
| Lely (W) | 5 | 425 | 39 ft. | 5 1/2 II | 4 1/2 II |
| Lesco (Letter/Numeric) | 3 | | 8 ft. | 1/17 | G/15 |
| Ortho Rotary | 3 | | 6 ft. | 2 1/2 | 2 |
| PennMulch® HVO | 3 | | 8 ft. | J | E |
| Prizelawn BF & CBR111 | 3 | | 8 ft. | J | E |
| Prizelawn CBR11 | 3 | | 8 ft. | 2 1/2 | 2 |
| Prizelawn LF-1 | 3 | | 8 ft. | 2 | 1 1/2 |
| Republic Rotary | 3 | | 6 ft. | 2 | 1 1/2 |
| ProScape® SS | 3 | | 8 ft. | J | E |
| Scotts AccuPro | 3 | | 8 ft. | F | D |
| Scotts (Rotary) R7x/R8A | 3 | | 8 ft. | F/J | D/H |
| Vicon (all models) | 5 | 540 | 35 ft. | 22 | 16 |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit www.LebanonTurf.com/turf

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at: <http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/gc/bmp07.pdf>

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation
1600 E. Cumberland St. • Lebanon, PA 17042

www.LebanonTurf.com

MADE IN THE U.S.A.

NET WT. 50 LBS. (22.68 Kg)


25-0-15

Mid Size Fertilizer



GUARANTEED ANALYSIS

| | |
|---|------------|
| Total Nitrogen (N) | 25% |
| 3.9% Water Insoluble Nitrogen* | |
| 14.8% Urea Nitrogen | |
| 6.3% Other Water Soluble Nitrogen* | |
| Soluble Potash (K₂O) | 15% |
| Sulfur (S)..... | 5.1% |
| 5.1% Combined Sulfur (S) | |
| Iron (Fe) | 2.0% |
| 0.4% Water Soluble Iron (Fe) | |
| Derived from: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate. | |
| Chlorine (Cl) not more than..... | 2.0% |
| *10.2% Slowly Available Nitrogen from Methylene Ureas. | |



22-52045

F699

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

APPLICATION RATES:

To feed at the rate of 1 lb. Nitrogen per 1,000 sq. ft. apply this product at 4 lbs. per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 1/2 lb. Nitrogen per 1,000 sq. ft. apply this product at 2 lbs. per 1,000 sq. ft. or 87 lbs. per acre.

PRECAUTIONARY STATEMENT:

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SUGGESTED SPREADER SETTINGS

| | Speed | | Width of Coverage | Settings | |
|-----------------------------|---------------|------------|-------------------------|--------------------|--------------------|
| | Ground MPH | PTO RPM | | 4.0 lbs. (1# N) | 2.0 lbs. (½# N) |
| LebanonTurf / Spyker | 3 | | 8 ft. | 3 | 2 |
| Cyclone | 3 | | 8 ft. | 3½ | 3 |
| Earthway Rotary | 3 | | 8 ft. | 12 | 10 |
| Ezee Flow (109) | 5 | 540 | 30 ft. | C2½ | C2 |
| Gandy | 3 | | | 27 | 23 |
| Lely (HR, 1250, 1500, 2010) | 5 | | 39 ft. | 5½II | 4½II |
| Lely (W) | 5 | 425 | 39 ft. | 5½II | 4½II |
| Lesco (Letter/Numeric) | 3 | | 8 ft. | 1/17 | G/15 |
| Ortho Rotary | 3 | | 6 ft. | 2½ | 2 |
| PennMulch® HVO | 3 | | 8 ft. | J | E |
| Prizelawn BF & CBRIII | 3 | | 8 ft. | J | E |
| Prizelawn CBRII | 3 | | 8 ft. | 2½ | 2 |
| Prizelawn LF-1 | 3 | | 8 ft. | 2 | 1½ |
| Republic Rotary | 3 | | 6 ft. | 2 | 1½ |
| ProScape® SS | 3 | | 8 ft. | J | E |
| Scotts AccuPro | 3 | | 8 ft. | F | D |
| Scotts (Rotary) R7x/R8A | 3 | | 8 ft. | F/J | D/H |
| Vicon (all models) | 5 | 540 | 35 ft. | 22 | 16 |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.



LebanonTurf encourages all of our customers to use our products responsibly. Help do your part in protecting our lakes, streams, and rivers by following label directions and cleaning all walkways and driveways after applications. Do not apply to frozen ground or allow fertilizers to fall into storm drains. By working together, we can help preserve the environment. To learn more, visit www.LebanonTurf.com/turf

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at:
<http://www.dep.state.fl.us/water/nonpoint/docs/nonpoint/glfbmp07.pdf>

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

www.LebanonTurf.com

MADE IN THE U.S.A.

NET WT. 50 LBS. (22.68 Kg)